



RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/803,459
Source: IFW0
Date Processed by STIC: 3/26/04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENT IN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - cPAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/03):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 4B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

Raw Sequence Listing Error Summary

ERROR DETECTED

SUGGESTED CORRECTION

SERIAL NUMBER: 10/803,459

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

- 1 Wrapped Nucleics
 Wrapped Aminos The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor **after** creating it. Please adjust your right margin to .3; this will prevent "wrapping."
- 2 Invalid Line Length The rules require that a line **not exceed** 72 characters in length. This includes white spaces.
- 3 Misaligned Amino
 Numbering The numbering under each 5th amino acid is misaligned. Do **not** use tab codes between numbers; use **space characters**, instead.
- 4 Non-ASCII The submitted file was **not** saved in ASCII(DOS) text, as **required** by the Sequence Rules. Please **ensure your subsequent submission is saved in ASCII text**.
- 5 Variable Length Sequence(s) contain n's or Xaa's representing more than one residue. **Per Sequence Rules, each n or Xaa can only represent a single residue.** Please present the **maximum** number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.
- 6 PatentIn 2.0
 "bug" A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid sequences(s) . Normally, PatentIn would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. **This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.**
- 7 Skipped Sequences
 (OLD RULES) Sequence(s) missing. If intentional, please insert the following lines for **each** skipped sequence:
 (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)
 (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading)
 (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown)
 This sequence is intentionally skipped

 Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to **include** the skipped sequences.
- 8 Skipped Sequences
 (NEW RULES) Sequence(s) missing. If intentional, please insert the following lines for each skipped sequence.
 <210> sequence id number
 <400> sequence id number
 000
- 9 Use of n's or Xaa's
 (NEW RULES) Use of n's and/or Xaa's have been detected in the Sequence Listing.
 Per 1.823 of Sequence Rules, use of <220>-<223> is **MANDATORY** if n's or Xaa's are present.
 In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.
- 10 Invalid <213>
 Response Per 1.823 of Sequence Rules, the only **valid** <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220>-<223> section is **required** when <213> response is Unknown or is Artificial Sequence
- 11 Use of <220> Sequence(s) missing the <220> "Feature" and associated numeric identifiers and responses.
 Use of <220> to <223> is **MANDATORY** if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section.
 (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)
- 12 PatentIn 2.0
 "bug" Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.
- 13 Misuse of n/Xaa "n" can only represent a single nucleotide; "Xaa" can only represent a single amino acid



IFWO

RAW SEQUENCE LISTING

DATE: 03/26/2004

PATENT APPLICATION: US/10/803,459

TIME: 07:27:09

Input Set : D:\28758.txt

Output Set: N:\CRF4\03262004\J803459.raw

3 <110> APPLICANT: Gertler, Arie
 4 Krishna, Radha G.
 6 <120> TITLE OF INVENTION: LEPTIN BINDING DOMAIN COMPOSITIONS AND METHODS THERETO
 8 <130> FILE REFERENCE: 28758.1
 C--> 10 <140> CURRENT APPLICATION NUMBER: US/10/803,459
 C--> 10 <141> CURRENT FILING DATE: 2004-03-19
 10 <160> NUMBER OF SEQ ID NOS: 8
 12 <170> SOFTWARE: PatentIn version 3.2
 14 <210> SEQ ID NO: 1
 15 <211> LENGTH: 630
 16 <212> TYPE: DNA
 17 <213> ORGANISM: human leptin receptor binding domain
 20 <220> FEATURE:
 21 <221> NAME/KEY: CDS
 22 <222> LOCATION: (1)..(630)
 24 <220> FEATURE:
 25 <221> NAME/KEY: misc_feature
 26 <222> LOCATION: (6)..(6)
 27 <223> OTHER INFORMATION: n is a, c, g, or t
 29 <400> SEQUENCE: 1

30 atg gcn att gat gtc aat atc aat atc tca tgt gaa act gat ggg tac 48
 31 Met Ala Ile Asp Val Asn Ile Asn Ile Ser Cys Glu Thr Asp Gly Tyr
 32 1 5 10 15
 34 tta act aaa atg act tgc aga tgg tca acc agt aca atc cag tca ctt 96
 35 Leu Thr Lys Met Thr Cys Arg Trp Ser Thr Ser Thr Ile Gln Ser Leu
 36 20 25 30
 38 gcg gaa agc act ttg caa ttg agg tat cat agg agc agc ctt tac tgt 144
 39 Ala Glu Ser Thr Leu Gln Leu Arg Tyr His Arg Ser Ser Leu Tyr Cys
 40 35 40 45
 42 tct gat att cca tct att cat ccc ata tct gag ccc aaa gat tgc tat 192
 43 Ser Asp Ile Pro Ser Ile His Pro Ile Ser Glu Pro Lys Asp Cys Tyr
 44 50 55 60
 46 ttg cag agt gat ggt ttt tat gaa tgc att ttc cag cca atc ttc cta 240
 47 Leu Gln Ser Asp Gly Phe Tyr Glu Cys Ile Phe Gln Pro Ile Phe Leu
 48 65 70 75 80
 50 tta tct ggc tac aca atg tgg att agg atc aat cac tct cta ggt tca 288
 51 Leu Ser Gly Tyr Thr Met Trp Ile Arg Ile Asn His Ser Leu Gly Ser
 52 85 90 95
 54 ctt gac tct cca cca aca tgt gtc ctt cct gat tct gtg gtg aag cca 336
 55 Leu Asp Ser Pro Pro Thr Cys Val Leu Pro Asp Ser Val Val Lys Pro
 56 100 105 110
 58 ctg cct cca tcc agt gtg aaa gca gaa att act ata aac att gga tta 384
 59 Leu Pro Pro Ser Ser Val Lys Ala Glu Ile Thr Ile Asn Ile Gly Leu

Does Not Comply
 Corrected Diskette Needed
 P.3

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/803,459

DATE: 03/26/2004

TIME: 07:27:09

Input Set : D:\28758.txt

Output Set: N:\CRF4\03262004\J803459.raw

```

60          115          120          125          432
62 ttg aaa ata tct tgg gaa aag cca gtc ttt cca gag aat aac ctt caa
63 Leu Lys Ile Ser Trp Glu Lys Pro Val Phe Pro Glu Asn Asn Leu Gln
64          130          135          140          480
66 ttc cag att cgc tat ggt tta agt gga aaa gaa gta caa tgg aag atg
67 Phe Gln Ile Arg Tyr Gly Leu Ser Gly Lys Glu Val Gln Trp Lys Met
68 145          150          155          160          528
70 tat gag gtt tat gat gca aaa tca aaa tct gtc agt ctc cca gtt cca
71 Tyr Glu Val Tyr Asp Ala Lys Ser Lys Ser Val Ser Leu Pro Val Pro
72          165          170          175          576
74 gac ttg tgt gca gtc tat gct gtt cag gtg cgc tgt aag agg cta gat
75 Asp Leu Cys Ala Val Tyr Ala Val Gln Val Arg Cys Lys Arg Leu Asp
76          180          185          190          624
78 gga ctg gga tat tgg agt aat tgg agc aat cca gcc tac aca gtt gtc
79 Gly Leu Gly Tyr Trp Ser Asn Trp Ser Asn Pro Ala Tyr Thr Val Val
80          195          200          205          630
82 atg gat
83 Met Asp
84          210
87 <210> SEQ ID NO: 2
88 <211> LENGTH: 210
89 <212> TYPE: PRT
90 <213> ORGANISM: human leptin receptor binding domain
92 <400> SEQUENCE: 2
94 Met Ala Ile Asp Val Asn Ile Asn Ile Ser Cys Glu Thr Asp Gly Tyr
95 1          5          10          15
98 Leu Thr Lys Met Thr Cys Arg Trp Ser Thr Ser Thr Ile Gln Ser Leu
99          20          25          30
102 Ala Glu Ser Thr Leu Gln Leu Arg Tyr His Arg Ser Ser Leu Tyr Cys
103          35          40          45
106 Ser Asp Ile Pro Ser Ile His Pro Ile Ser Glu Pro Lys Asp Cys Tyr
107          50          55          60
110 Leu Gln Ser Asp Gly Phe Tyr Glu Cys Ile Phe Gln Pro Ile Phe Leu
111 65          70          75          80
114 Leu Ser Gly Tyr Thr Met Trp Ile Arg Ile Asn His Ser Leu Gly Ser
115          85          90          95
118 Leu Asp Ser Pro Pro Thr Cys Val Leu Pro Asp Ser Val Val Lys Pro
119          100          105          110
122 Leu Pro Pro Ser Ser Val Lys Ala Glu Ile Thr Ile Asn Ile Gly Leu
123          115          120          125
126 Leu Lys Ile Ser Trp Glu Lys Pro Val Phe Pro Glu Asn Asn Leu Gln
127          130          135          140
130 Phe Gln Ile Arg Tyr Gly Leu Ser Gly Lys Glu Val Gln Trp Lys Met
131 145          150          155          160
134 Tyr Glu Val Tyr Asp Ala Lys Ser Lys Ser Val Ser Leu Pro Val Pro
135          165          170          175
138 Asp Leu Cys Ala Val Tyr Ala Val Gln Val Arg Cys Lys Arg Leu Asp
139          180          185          190
142 Gly Leu Gly Tyr Trp Ser Asn Trp Ser Asn Pro Ala Tyr Thr Val Val

```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/803,459

DATE: 03/26/2004

TIME: 07:27:09

Input Set : D:\28758.txt

Output Set : N:\CRF4\03262004\J803459.raw

143 195 200 205

146 Met Asp

147 210

150 <210> SEQ ID NO: 3

151 <211> LENGTH: 36

152 <212> TYPE: DNA

153 <213> ORGANISM: synthetic *invalid <213> response. see item 10 on Erra*

155 <400> SEQUENCE: 3 *summary sheet.*

156 ggaattccat atgattgatg tcaatatcaa tatctc 36

159 <210> SEQ ID NO: 4

160 <211> LENGTH: 39

161 <212> TYPE: DNA

162 <213> ORGANISM: synthetic *invalid*

164 <400> SEQUENCE: 4

165 cataggaagc ttccaatcca tgacaactgt gtaggctgg 39

168 <210> SEQ ID NO: 5

169 <211> LENGTH: 12

170 <212> TYPE: PRT

171 <213> ORGANISM: human leptin receptor fragment

174 <220> FEATURE:

175 <221> NAME/KEY: misc_feature

176 <222> LOCATION: (11)..(11)

177 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid.

179 <400> SEQUENCE: 5

OK → 181 Met Ala Ile Asp Val Asn Ile Asn Ile Ser Xaa Glu

182 1 5 10

185 <210> SEQ ID NO: 6

186 <211> LENGTH: 5

187 <212> TYPE: PRT

188 <213> ORGANISM: Consensus *invalid*

191 <220> FEATURE:

192 <221> NAME/KEY: misc_feature

193 <222> LOCATION: (3)..(3)

194 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid

196 <400> SEQUENCE: 6

OK → 198 Trp Ser Xaa Trp Ser

199 1 5

202 <210> SEQ ID NO: 7

203 <211> LENGTH: 627

204 <212> TYPE: DNA

205 <213> ORGANISM: chicken leptin receptor binding domain

208 <220> FEATURE:

209 <221> NAME/KEY: CDS

210 <222> LOCATION: (1)..(627)

212 <220> FEATURE:

213 <221> NAME/KEY: misc_feature

214 <222> LOCATION: (6)..(6)

215 <223> OTHER INFORMATION: n is a, c, g, or t

217 <400> SEQUENCE: 7

RAW SEQUENCE LISTING

DATE: 03/26/2004

PATENT APPLICATION: US/10/803,459

TIME: 07:27:09

Input Set : D:\28758.txt

Output Set: N:\CRF4\03262004\J803459.raw

```

W--> 218 atg gcn gta gat gtg aat atc aat atc aaa tgt gaa act gat ggg tac      48
      219 Met Ala Val Asp Val Asn Ile Asn Ile Lys Cys Glu Thr Asp Gly Tyr
      220 1          5          10          15
      222 tta act aaa atg act tgc aga tgg tct gca aac cca aac gca ttg ctc      96
      223 Leu Thr Lys Met Thr Cys Arg Trp Ser Ala Asn Pro Asn Ala Leu Leu
      224          20          25          30
      226 ttg ggg agt tcc ttg cag tta aga tac cac agg agc aaa att tat tgt      144
      227 Leu Gly Ser Ser Leu Gln Leu Arg Tyr His Arg Ser Lys Ile Tyr Cys
      228          35          40          45
      230 tct aac ttt cca agt act cct cca gaa tca gag gtg aaa gaa tgc cat      192
      231 Ser Asn Phe Pro Ser Thr Pro Pro Glu Ser Glu Val Lys Glu Cys His
      232          50          55          60
      234 ttc cag agg aat cat tct tat gag tgc aca ttt cag cct gtt ttt ctt      240
      235 Phe Gln Arg Asn His Tyr Glu Cys Thr Phe Gln Pro Val Phe Leu
      236 65          70          75          80
      238 tta tct gga tat acc atg tgg att gag ctt aag cac tcg ctg gga aca      288
      239 Leu Ser Gly Tyr Thr Met Trp Ile Glu Leu Lys His Ser Leu Gly Thr
      240          85          90          95
      242 ctt gaa tcc tca cca act tgt gtc gtt cca gca gat gtg gtg aag cca      336
      243 Leu Glu Ser Ser Pro Thr Cys Val Val Pro Ala Asp Val Val Lys Pro
      244          100          105          110
      246 ctg cct ccc tcc aac att aaa gca gag atc acc aga aac gat ggg ctg      384
      247 Leu Pro Pro Ser Asn Ile Lys Ala Glu Ile Thr Arg Asn Asp Gly Leu
      248          115          120          125
      250 ctg aac gtg agc tgg aca aac ccc gtg ttt aca aat gat gac ctt aag      432
      251 Leu Asn Val Ser Trp Thr Asn Pro Val Phe Thr Asn Asp Asp Leu Lys
      252          130          135          140
      254 ttt cag atc cgg tac gca gtg aac agg gaa gaa ctc aca tgg gag ctg      480
      255 Phe Gln Ile Arg Tyr Ala Val Asn Arg Glu Glu Leu Thr Trp Glu Leu
      256 145          150          155          160
      258 tat gaa gtt cta agc gta cca aca aga tca gct gtg ata gaa gtg caa      528
      259 Tyr Glu Val Leu Ser Val Pro Thr Arg Ser Ala Val Ile Glu Val Gln
      260          165          170          175
      262 ctt tgt gtt gaa tat att gtt cag atc cgc tgc aga gcc ctg gat ggc      576
      263 Leu Cys Val Glu Tyr Ile Val Gln Ile Arg Cys Arg Ala Leu Asp Gly
      264          180          185          190
      266 tta ggc tac tgg agc aac tgg agc aga tca gcc tat gca gct gta aaa      624
      267 Leu Gly Tyr Trp Ser Asn Trp Ser Arg Ser Ala Tyr Ala Ala Val Lys
      268          195          200          205
      270 gat      627
      271 Asp
      275 <210> SEQ ID NO: 8
      276 <211> LENGTH: 209
      277 <212> TYPE: PRT
      278 <213> ORGANISM: chicken leptin receptor binding domain
      280 <400> SEQUENCE: 8
      282 Met Ala Val Asp Val Asn Ile Asn Ile Lys Cys Glu Thr Asp Gly Tyr
      283 1          5          10          15
      286 Leu Thr Lys Met Thr Cys Arg Trp Ser Ala Asn Pro Asn Ala Leu Leu

```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/803,459

DATE: 03/26/2004

TIME: 07:27:09

Input Set : D:\28758.txt

Output Set: N:\CRF4\03262004\J803459.raw

```

287          20          25          30
290 Leu Gly Ser Ser Leu Gln Leu Arg Tyr His Arg Ser Lys Ile Tyr Cys
291          35          40          45
294 Ser Asn Phe Pro Ser Thr Pro Pro Glu Ser Glu Val Lys Glu Cys His
295          50          55          60
298 Phe Gln Arg Asn His Ser Tyr Glu Cys Thr Phe Gln Pro Val Phe Leu
299 65          70          75          80
302 Leu Ser Gly Tyr Thr Met Trp Ile Glu Leu Lys His Ser Leu Gly Thr
303          85          90          95
306 Leu Glu Ser Ser Pro Thr Cys Val Val Pro Ala Asp Val Val Lys Pro
307          100          105          110
310 Leu Pro Pro Ser Asn Ile Lys Ala Glu Ile Thr Arg Asn Asp Gly Leu
311          115          120          125
314 Leu Asn Val Ser Trp Thr Asn Pro Val Phe Thr Asn Asp Asp Leu Lys
315          130          135          140
318 Phe Gln Ile Arg Tyr Ala Val Asn Arg Glu Glu Leu Thr Trp Glu Leu
319 145          150          155          160
322 Tyr Glu Val Leu Ser Val Pro Thr Arg Ser Ala Val Ile Glu Val Gln
323          165          170          175
326 Leu Cys Val Glu Tyr Ile Val Gln Ile Arg Cys Arg Ala Leu Asp Gly
327          180          185          190
330 Leu Gly Tyr Trp Ser Asn Trp Ser Arg Ser Ala Tyr Ala Ala Val Lys
331          195          200          205
334 Asp

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/803,459

DATE: 03/26/2004
TIME: 07:27:10

Input Set : D:\28758.txt
Output Set: N:\CRF4\03262004\J803459.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; N Pos. 6/ ✓
Seq#:5; Xaa Pos. 41
Seq#:6; Xaa Pos. 3/
Seq#:7; N Pos. 6/

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/803,459

DATE: 03/26/2004

TIME: 07:27:10

Input Set : D:\28758.txt

Output Set: N:\CRF4\03262004\J803459.raw

L:10 M:270 C: Current Application Number differs, Replaced Current Application No
L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:30 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
L:181 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:198 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0